

L Number	Hits	Search Text	DB	Time stamp
1	185	712/212.ccls.	USPAT	2004/04/16 18:29
2	333	712/210.ccls.	USPAT	2004/04/16 18:30
3	283	712/208.ccls.	USPAT	2004/04/16 18:30
4	167	712/204.ccls.	USPAT	2004/04/16 18:30
5	836	(variable with instruction with length) same (store\$2 across buffer)	USPAT; EPO; JPO	2004/04/16 18:30
6	11	store\$2 with across with buffer with instruction	USPAT; EPO; JPO	2004/04/16 18:30
7	10	align\$4 same decod\$4 same size same instruction same begin\$8	USPAT; EPO; JPO; DERWENT	2004/04/16 18:30
8	13	(issu\$4 with request with (queue buffer)) same empty same instruction	USPAT; EPO; JPO	2004/04/16 18:30
9	9	(determin\$4 with (queue buffer) with (empty deplete) with instruction) and prefetch	USPAT; EPO; JPO; DERWENT	2004/04/16 18:30
10	28	predict\$4 with buffer with empty	USPAT; EPO; JPO; DERWENT	2004/04/16 18:30
11	61	determin\$4 with (queue buffer) with (empty deplete) with instruction	USPAT; EPO; JPO; DERWENT	2004/04/16 18:30
12	16	(request with (queue buffer)) same empty same instruction same before	USPAT; EPO; JPO; DERWENT	2004/04/16 18:31
-	7621	(cache buffer) with empty	USPAT	2004/04/15 22:43
-	562	(cache buffer) with empty with determine	USPAT	2003/09/29 12:03
-	10	(cache buffer) with empty with determine with (reload load)	USPAT	2003/09/29 12:31
-	34	((cache buffer) with empty) same (request with (buffer cache) with (load reload re-load))	USPAT	2003/09/29 13:32
-	1538	variable with instruction with length	USPAT	2003/09/29 13:32
-	712	(variable with instruction with length) same (store\$2 across buffer)	USPAT	2004/04/16 18:30
-	0	(variable with instruction with length) same (store\$2 with across with buffer)	USPAT	2003/09/29 13:33
-	2	(variable with instruction with length) and (store\$2 with across with buffer)	USPAT	2003/09/29 13:34
-	419	store\$2 with across with buffer	USPAT	2003/09/29 13:34
-	11	store\$2 with across with buffer with instruction	USPAT	2004/04/16 18:30
-	15	((prefetch pre-fetch) with buffer) same fill same empty	USPAT	2003/09/29 13:43
-	3	(fill near2 unit) with empty with instruction	USPAT	2003/09/29 14:28
-	183	align\$4 same decod\$4 same size same instruction	USPAT	2003/09/29 14:31
-	8	align\$4 same decod\$4 same size same instruction same begin\$8	USPAT	2004/04/16 18:30
-	6	("5353420" "5537629" "5586277" "5758116" "5822559" "6175908").PN.	USPAT	2003/09/29 14:59
-	4	((("5353420" "5537629" "5586277" "5758116" "5822559" "6175908").PN.) and (plurality with buffer)	USPAT	2003/09/29 14:59
-	0	determin\$4 with beginning with based with size with instruction	USPAT	2003/09/30 10:16
-	1	determin\$4 with beginning with based with size with instruction	USPAT	2003/09/30 14:55
-	28	issu\$4 with request with fill with buffer	USPAT	2003/09/30 11:02

-	8	(issu\$4 with request with fill with buffer) same empty	USPAT	2003/09/30 11:02
-	0	(issu\$4 with request with fill with buffer) same empty same instruction	USPAT	2003/09/30 11:02
-	4	(issu\$4 with request with buffer) same empty same instruction	USPAT	2003/09/30 11:02
-	9	(issu\$4 with request with (queue buffer)) same empty same instruction	USPAT	2004/04/16 18:30
-	265	determin\$4 same (queue buffer) same empty same instruction	USPAT	2003/09/30 11:07
-	55	determin\$4 with (queue buffer) with empty with instruction	USPAT	2003/09/30 11:10
-	55	determin\$4 with (queue buffer) with (empty deplete) with instruction	USPAT	2004/04/16 18:30
-	15922	determin\$4 with (queue buffer) with (empty deplete) with instruction (will lookahead)	USPAT	2003/09/30 11:18
-	0	determin\$4 with (queue buffer) with (empty deplete) with instruction with (will lookahead)	USPAT	2003/09/30 11:18
-	2	(determin\$4 with (queue buffer) with (empty deplete) with instruction) same prefetch	USPAT	2003/09/30 11:37
-	1197	((queue buffer)) same empty same instruction	USPAT	2003/09/30 11:42
-	158	((queue buffer)) same empty same instruction same before	USPAT	2003/09/30 11:42
-	11	(request with (queue buffer)) same empty same instruction same before	USPAT	2004/04/16 18:31
-	9	(determin\$4 with (queue buffer) with (empty deplete) with instruction) and prefetch	USPAT	2004/04/16 18:30
-	175	((queue buffer) with (empty deplete) with instruction) and prefetch	USPAT	2003/09/30 12:14
-	52	((queue buffer) with (empty deplete) with instruction) same prefetch	USPAT	2003/09/30 12:14
-	18	((queue buffer) with (empty deplete) with instruction) same prefetch same request	USPAT	2003/09/30 12:38
-	27	"5537629"	USPAT	2003/09/30 12:38
-	1	5537629.pn.	USPAT	2003/09/30 12:38
-	3	(6,260,134 5,809,272 5,920,713).pn.	USPAT	2003/09/30 15:17
-	29	determin\$4 with beginning with based with size	USPAT	2003/09/30 12:47
-	11	determin\$4 with start with instruction with size	USPAT	2003/09/30 12:42
-	19	add\$4 with start with instruction with size	USPAT	2003/09/30 12:43
-	2	add\$3 with start with instruction with size	USPAT	2003/09/30 12:43
-	2	add\$3 with begin\$5 with instruction with size	USPAT	2003/09/30 12:43
-	0	determin\$4 with beginning with based with size with instruction	USPAT	2003/09/30 12:47
-	21617	"Digital signal processor"	USPAT	2003/09/30 14:55
-	199	"Digital signal processor" with advantage	USPAT	2003/09/30 14:56
-	1	6,367,003.pn.	USPAT	2003/09/30 14:56
-	23	predict\$4 with buffer with empty	USPAT	2004/04/16 18:30
-	5	predict\$4 with buffer with empty with instruction	USPAT	2004/04/15 22:46
-	11	instruction with alignment with multiplexor	USPAT	2004/04/15 22:52
-	31	instruction with alignment with multiplexor	USPAT	2004/04/16 13:36

L Number	Hits	Search Text	DB	Time stamp
1	21617	"Digital signal processor"	USPAT	2003/09/30 14:55
2	199	"Digital signal processor" with advantage	USPAT	2003/09/30 14:56
3	1	6,367,003.pn.	USPAT	2003/09/30 14:56
11	180	712/212.ccls.	USPAT	2003/09/30 15:18
10	308	712/210.ccls.	USPAT	2003/09/30 15:18
9	275	712/208.ccls.	USPAT	2003/09/30 15:19
8	156	712/204.ccls.	USPAT	2003/09/30 15:19
-	7621	(cache buffer) with empty	USPAT	2003/09/29 12:02
-	562	(cache buffer) with empty with determine	USPAT	2003/09/29 12:03
-	10	(cache buffer) with empty with determine with (reload load)	USPAT	2003/09/29 12:31
-	34	((cache buffer) with empty) same (request with (buffer cache) with (load reload re-load))	USPAT	2003/09/29 13:32
-	1538	variable with instruction with length	USPAT	2003/09/29 13:32
-	712	(variable with instruction with length) same (store\$2 across buffer)	USPAT	2003/09/29 13:33
-	0	(variable with instruction with length) same (store\$2 with across with buffer)	USPAT	2003/09/29 13:33
-	2	(variable with instruction with length) and (store\$2 with across with buffer)	USPAT	2003/09/29 13:34
-	419	store\$2 with across with buffer	USPAT	2003/09/29 13:34
-	11	store\$2 with across with buffer with instruction	USPAT	2003/09/29 13:39
-	15	((prefetch pre-fetch) with buffer) same fill same empty	USPAT	2003/09/29 13:43
-	3	(fill near2 unit) with empty with instruction	USPAT	2003/09/29 14:28
-	183	align\$4 same decod\$4 same size same instruction	USPAT	2003/09/29 14:31
-	8	align\$4 same decod\$4 same size same instruction same begin\$8	USPAT	2003/09/29 14:50
-	6	("5353420" "5537629" "5586277" "5758116" "5822559" "6175908").PN.	USPAT	2003/09/29 14:59
-	4	((("5353420" "5537629" "5586277" "5758116" "5822559" "6175908").PN.) and (plurality with buffer)	USPAT	2003/09/29 14:59
-	0	determin\$4 with beginning with based with size with instruction	USPAT	2003/09/30 10:16
-	1	determin\$4 with beginning with based with size with instruction	USPAT	2003/09/30 14:55
-	28	issu\$4 with request with fill with buffer	USPAT	2003/09/30 11:02
-	8	(issu\$4 with request with fill with buffer) same empty	USPAT	2003/09/30 11:02
-	0	(issu\$4 with request with fill with buffer) same empty same instruction	USPAT	2003/09/30 11:02
-	4	(issu\$4 with request with buffer) same empty same instruction	USPAT	2003/09/30 11:02
-	9	(issu\$4 with request with (queue buffer)) same empty same instruction	USPAT	2003/09/30 11:42
-	265	determin\$4 same (queue buffer) same empty same instruction	USPAT	2003/09/30 11:07
-	55	determin\$4 with (queue buffer) with empty with instruction	USPAT	2003/09/30 11:10
-	55	determin\$4 with (queue buffer) with (empty deplete) with instruction	USPAT	2003/09/30 11:36

-	15922	determin\$4 with (queue buffer) with (empty deplete) with instruction (will lookahead)	USPAT	2003/09/30 11:18
-	0	determin\$4 with (queue buffer) with (empty deplete) with instruction with (will lookahead)	USPAT	2003/09/30 11:18
-	2	(determin\$4 with (queue buffer) with (empty deplete) with instruction) same prefetch	USPAT	2003/09/30 11:37
-	1197	((queue buffer)) same empty same instruction	USPAT	2003/09/30 11:42
-	158	((queue buffer)) same empty same instruction same before	USPAT	2003/09/30 11:42
-	11	(request with (queue buffer)) same empty same instruction same before	USPAT	2003/09/30 11:43
-	9	(determin\$4 with (queue buffer) with (empty deplete) with instruction) and prefetch	USPAT	2003/09/30 12:14
-	175	((queue buffer) with (empty deplete) with instruction) and prefetch	USPAT	2003/09/30 12:14
-	52	((queue buffer) with (empty deplete) with instruction) same prefetch	USPAT	2003/09/30 12:14
-	18	((queue buffer) with (empty deplete) with instruction) same prefetch same request	USPAT	2003/09/30 12:38
-	27	"5537629"	USPAT	2003/09/30 12:38
-	1	5537629.pn.	USPAT	2003/09/30 12:38
-	3	(6,260,134 5,809,272 5,920,713).pn.	USPAT	2003/09/30 15:17
-	29	determin\$4 with beginning with based with size	USPAT	2003/09/30 12:47
-	11	determin\$4 with start with instruction with size	USPAT	2003/09/30 12:42
-	19	add\$4 with start with instruction with size	USPAT	2003/09/30 12:43
-	2	add\$3 with start with instruction with size	USPAT	2003/09/30 12:43
-	2	add\$3 with begin\$5 with instruction with size	USPAT	2003/09/30 12:43
-	0	determin\$4 with beginning with based with size with instruction	USPAT	2003/09/30 12:47